


July 55

Royal Enfield



Model **RE**

effortless travel at real low cost!



Specification

ENGINE-GEAR UNIT: 125 c.c. two-stroke engine-gear unit of pleasing streamlined design. Foot-operated three-speed gear. Clutch running at engine speed giving super-light operation. The Miller generator and ignition system ensures easy starting under all conditions. **FRAME:** Cradle type having all main tubes of chrome molybdenum alloy steel. Easy lift, spring-up, centre stand. **WHEELS:** 2.75×19in. Dunlop tyres front and rear. Powerful 5in. brakes on both wheels. **EXHAUST SYSTEM:** Incorporates special streamlined expansion chamber in addition to silencer. **FINISH:** Lustrous Silver Grey enamel, bright parts heavily chromium plated. Attractive new tank transfer of modern design.

Royal Enfield



Model **RE**

Technical Data

FOR nearly half a century ROYAL ENFIELD Motor Cycles have been renowned for their advanced design, superlative performance and outstanding reliability.

The 1955 range of models worthily upholds this proud tradition and includes machines which will fulfil the requirements of every type of rider under all conditions.

ROYAL ENFIELD Motor Cycles are the product of careful research and development by experts and are manufactured by skilled craftsmen by modern precision methods in one of the world's best-equipped motor cycle factories.

ROYAL ENFIELD Motor Cycles are distributed through a world-wide dealer organisation, which has been carefully selected to ensure exemplary after-sales service and maintenance. Do not hesitate to consult your local ROYAL ENFIELD Dealer, who will be only too pleased to place the benefit of his knowledge and experience at your disposal in selecting the model best suited to your individual requirements.

ROYAL ENFIELD MODEL RE	
Bore and Stroke (m.m.)	53.79 × 55
Cubic Capacity (c.c.)	125
Compression Ratio	6 to 1
Gear Ratios	7.55 12.3 22.1 : 1 —
Petrol Tank Capacity (Imp. Gals)	1 $\frac{3}{4}$ (8 litres)
Approx. Maximum Speed (m.p.h.) ...	45-50
Approx. Petrol Consumption (m.p.g.) ...	120-150
Weight (lbs.)	140
Wheelbase (inches)	48
Saddle Height (inches)	28
Ground Clearance (inches)	5 $\frac{3}{4}$
Overall Width (inches)	25 $\frac{1}{2}$

All Royal Enfield Motor Cycles are sold by our Dealers subject to the limited Guarantee adopted by the British Cycle and Motor Cycle Manufacturers and Traders Union Ltd. Shortage of space prevents this being printed in full in this list, but a copy will be sent on application.

THE ENFIELD CYCLE CO. LTD.

Head Office & Works: REDDITCH, ENGLAND

'Grams : "Cycles, Phone, Redditch."

'Phone : Redditch 121 (8 lines).